

YETI LUBE

11294-0002

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

YETI LUBE

Article number:

550-0000

550-0001

550-0001M

550-0006

550-0250

555-0000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

To insulate gypsum plaster from wax

1.3. Details of the supplier of the safety data sheet

Company name: YETI Dentalprodukte GmbH

Street: Industriestrasse 3

Place: D-78234 Engen

Telephone: +49 7733-9410-0

Telefax: +49 7733-9410-22

Responsible Department: sdb@yeti-dental.com

Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone

+49 7733-9410-0 (Mo-Do 8:00 - 16:30, Fr 8:00 - 15:00)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes severe skin burns and eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Sodium tetradecyl sulfate

Signal word:

Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe mist/vapor/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international/

YETI LUBE

11294-0002

regulations.

Additional advice on labelling

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of the following substances with non-hazardous admixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
56-81-5	GLYCERIN / Glycerol			25 - 50 %
	200-289-5		01-2119471987-18	
139-88-8	Sodium tetradecyl sulfate			10 - < 25 %
	205-380-3			
	Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B; H302 H312 H314			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

In case of irritation consult a physician.

After inhalation

Ensure of fresh air. Get medical attention, if respiratory irritation develops or if breathing becomes difficult. In case of the person being unconscious put him/her in a stable side position.

After contact with skin

Wash off with soap and plenty of water. Consult a doctor if skin irritation persists. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Remove contact lens. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek medical treatment by eye specialist.

After ingestion

Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Never give anything by mouth to an unconscious person. Summon a doctor immediately. Do not give neutralising liquids.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use fire fighting measures that suit the environment and products stored.

5.2. Special hazards arising from the substance or mixture

None

5.3. Advice for firefighters

No specific precautions required.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

YETI LUBE

11294-0002

High risk of slipping due to leakage/spillage of product. Use personal protection equipment. Keep away noninvolved persons.

6.2. Environmental precautions

Rinse with plenty of water.

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Shovel into suitable container for disposal.

Use explosion-proof equipment / fittings and non-sparking tools.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not keep containers unlocked. Handle in accordance with the general hygienic rules. When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Contaminated work clothing should not be allowed out of the workplace. Avoid formation of Aerosols.

Advice on protection against fire and explosion

Vapours are heavier than air. In use, may form flammable/explosive vapour-air mixture. Take precautionary measures against static discharges (earthing (grounding) at pouring).

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Provide solvent-resistant and impermeable floor. Provide floor with bunding. Prevent penetration into the ground.

Store in the original container.

Advice on storage compatibility

Keep away from food, drink and animal feeding stuffs. Do not store together with oxidizing and self-igniting products.

Do not store with: Medicinal product, Substances which form flammable gases with water, Organic peroxides.

Further information on storage conditions

Use only in well-ventilated areas. Keep containers tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Application in the dental field for insulating gypsum plaster from wax

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over the use of personal protective equipment.

Protective and hygiene measures

Avoid contact with eyes and skin. Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke. Take off immediately all contaminated clothing.

Eye/face protection

Tightly fitting goggles (EN 166).

Hand protection

Protective gloves resistant to chemicals made off butyl, minimum coat thickness 0,7 mm, permeation resistance (wear duration) > 240 minutes, i.e. protective glove <Butoject 898> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

YETI LUBE

11294-0002

Respiratory protection

Not necessary.

Environmental exposure controls

Do not empty into drains

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	according to product specification	
Odour:	characteristic	
pH-Value (at 20 °C):	9,5	DIN 19268
Changes in the physical state		
Melting point:	n.b.	
Initial boiling point and boiling range:	100 °C	
Sublimation point:	n.b.	
Softening point:	n.b.	
Pour point:	n.d.	
Flash point:	160 °C	ISO 1523
Sustaining combustion:	No data available	
Flammability		
Solid:	n.b.	
Gas:	n.d.	
Explosive properties	The product is not explosive. Heating will cause pressure rise with risk of bursting.	
Lower explosion limits:	0,9 vol. %	
Upper explosion limits:	11,6 vol. %	
Ignition temperature:	400 °C	
Auto-ignition temperature		
Solid:	n.b.	
Gas:	n.d.	
Decomposition temperature:	n.d.	
Oxidizing properties	n.b.	
Vapour pressure: (at 20 °C)	23 hPa	
Vapour pressure:	n.d.	
Density (at 20 °C):	1,12 g/cm ³	ISO 2811-1
Bulk density:	n.d.	
Water solubility: (at 20 °C)	Completely miscible	
Solubility in other solvents	n.b.	
Partition coefficient:	n.b.	
Viscosity / dynamic:	n.b.	
Viscosity / kinematic:	n.b.	
Flow time: (at 20 °C)	20 s	6 DIN 53211/4
Vapour density:	n.b.	
Evaporation rate:	n.d.	
Solvent separation test:	n.d.	
Solvent content:	0%	

9.2. Other information

Solid content: 16,5%

Other information

No data available.

(n.a. = not applicable; n.d. = not determined)

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed. Heating will cause pressure rise with risk of bursting.

YETI LUBE

11294-0002

10.2. Chemical stability

Chemically stable.

10.3. Possibility of hazardous reactions

Not known.

10.4. Conditions to avoid

Avoid temperatures above 35 °C. Protect against direct sun radiation.

10.5. Incompatible materials

Not known.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

The product:

ATEmix/oral: > 2000 mg/kg (Value calculated)

ATEmix/dermal: > 4500 mg/kg (Value calculated)

CAS No	Chemical name				
	Exposure route	Method	Dose	Species	Source
139-88-8	Sodium tetradecyl sulfate				
	oral	ATE	500 mg/kg		
	dermal	ATE	1100 mg/kg		

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Ingestion of aqueous solution causes gastrointestinal burns.

SECTION 12: Ecological information

12.1. Toxicity

No data available.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

YETI LUBE

11294-0002

Advice on disposal

This material and its container must be disposed of as hazardous waste. If recycling is not practicable, dispose of in compliance with local regulations. The waste code number must be agreed with the disposer / manufacturer.

Waste disposal number of waste from residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors
Classified as hazardous waste.

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Contaminated packagings are to be treated like the product itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1760
14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Sodium tetradecyl sulfate)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Classification code: C9
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number: UN 1760
14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Sodium tetradecyl sulfate)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Classification code: C9
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number: UN 1760
14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Sodium tetradecyl sulfate)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Special Provisions: 223, 274
Limited quantity: 5 L
Excepted quantity: E1

YETI LUBE

11294-0002

EmS: F-A, S-B

Air transport (ICAO)

14.1. UN number: UN 1760
14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Sodium tetradecyl sulfate)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Special Provisions: A3 A803
Limited quantity Passenger: 1 L
Passenger LQ: Y841
Excepted quantity: E1
IATA-packing instructions - Passenger: 852
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 856
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

Section: 2, 3, 4, 5, 6, 7, 11, 14

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

YETI LUBE

11294-0002

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)