



**Safety Data Sheet** according to Regulation (EC) No 1907/2006

YETI Dentalprodukte GmbH

Revision date: 09.05.2016 Revision No: 1,1

**Wax – Special Wax ( Dipping Wax, Wax Wire, Cutex- Undercut Wax, Diagnostic, Prefabricated Products, special applications )**

11294-0006

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier: Special applications**

Peripheriewax	602-0360				
Boxing Wax	603-0400				
THOWAX Cervical	720-0000	720-1000			
IQ Cervical	720-5000	720-5100			
THOWAX Undercut Wax	722-0000	722-1000			
VKS Undercut Wax	722-2000				
IQ Undercut Wax	722-5000	722-5100			
CUTEX	723-0000				
CUTEX BOND	723-1000				
THOWAX Milling Wax	725-0000	727-0000	725-1000		
THOWAX STICK-on	726-0000				
GIANT Cervical	731-5000				
PRECI DIP	740-1150	740-2150			
DUO DIP	741-0000				
MASTER DIP	741-0100	741-0110			
DETON Wax Wire	741-2500	742-3000	743-3500	744-4000	745-5000
DURON Wax Wire	746-1020	746-1025	746-1030	746-1035	746-1040
	746-1050				
CONSEQUENT WD	747-1020	747-1025	747-1030	747-1035	747-1040
	747-1050				
ELASTO DIP	750-0150	750-2150	750-3150	750-4150	
GUSSSTIFTE	754-0250	755-0250	756-0250	757-0250	
IQ TRIANGEL	758-5000	759-5000			
CREATION	760-0000	760-1000	760-2000	760-3000	760-00 (10-25)
IQ DIAGNOSTIC	761-5000				
IQ QUADRO STICKS	765-5000	766-5000	767-5000		
IQ STICKS	768-2500	768-3000	768-3500	768-4000	768-5000
ZWISCHENGLIEDER	770-0000	771-0000	772-0000	773-0000	774-0000
(Prefabricated Products)	775-0000	776-0000	777-0000		

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/mixture**

Waxes for the preparation of crowns and bridges, model castings and reconstructions

**1.3. Details of the supplier of the safety data sheet**

Company name: YETI Dentalprodukte GmbH  
Street: Industriestrasse 3  
Place: D-78234 Engen  
Telephone: +49 7733-9410-0  
Telefax: +49 7733-9410-22  
[sdb@yeti-dental.com](mailto:sdb@yeti-dental.com)

Responsible for the safety data sheet: [sds@gbk-ingelheim.de](mailto:sds@gbk-ingelheim.de)

**1.4. Emergency telephone number:** +49 7733-9410-0 (Mo-Do 8:00 - 16:30, Fr 8:00 - 15:00)

---

Safety Data Sheet according to Regulation (EC) No 1907/2006

YETI Dentalprodukte GmbH

Revision date: 09.05.2016 Revision No: 1,1

## **Wax – Special Wax ( Dipping Wax, Wax Wire, Cutex- Undercut Wax, Diagnostic, Prefabricated Products, special applications )**

11294-0006

---

### **SECTION 2: Hazards identification**

#### **2.1. Classification of the substance or mixture**

##### **Regulation (EC) No. 1272/2008**

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

#### **2.2. Label elements**

##### **Additional advice on labelling**

The product does not require a hazard warning label in accordance with EC directives.

**2.3. Other hazards** According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a

PBT / vPvB substance.

---

### **SECTION 3: Composition/information on ingredients**

#### **3.2. Mixtures**

##### **Chemical characterization**

Mixture of different waxes with additives.

Hazardous components: not applicable

---

### **SECTION 4: First aid measures**

#### **4.1. Description of first aid measures**

##### **General Information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove contaminated soaked clothing immediately. Keep warm and calm injured person. Take away from danger area and lay down affected person.

##### **After Inhalation**

When used as intended, exposure through inhalation is not to be expected

##### **After contact with skin**

Wash off with soap and plenty of water.

Consult a doctor if skin irritation persists.

##### **After contact with eyes**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Seek medical treatment by eye specialist.

##### **After ingestion**

Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Never give anything by mouth to an unconscious person. Summon a doctor immediately. Do not give neutralising liquids.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Health injuries are not known or expected under normal use.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptoms.

---

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Alcohol-resistant foam, dry chemical, carbon dioxide (CO<sub>2</sub>), water-spray.

##### **Unsuitable extinguishing media**

Full water jet

#### **5.2. Special hazards arising from the substance or mixture**

Fire may produce: Carbon monoxide and carbon dioxide. Vapours are heavier than air and spread along ground .

Flashback at a long distance is possible.

#### **5.3. Advice for firefighters**

Use breathing apparatus with independent air supply.

Protective suit.

Safety Data Sheet according to Regulation (EC) No 1907/2006

YETI Dentalprodukte GmbH

Revision date: 09.05.2016 Revision No: 1,1

## Wax – Special Wax ( Dipping Wax, Wax Wire, Cutex- Undercut Wax, Diagnostic, Prefabricated Products, special applications )

11294-0006

### Additional information

Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator. Ensure adequate ventilation. Use personal protective clothing. Get unprotected persons to safety. Keep away from heat and sources of ignition. Avoid contact with the skin and the eyes. Do not inhale vapour/aerosol.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water. Risk of explosion.

### 6.3. Methods and material for containment and cleaning up

Take up mechanically and collect in suitable container for disposal.

### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Do not keep containers unlocked. Handle in accordance with the general hygienic rules. When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Contaminated work clothing should not be allowed out of the workplace. Avoid formation of Aerosols.

#### Advice on protection against fire and explosion

No special protective measures against fire required.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

No special precautions required.

#### Advice on storage compatibility

Keep away from food, drink and animal feeding stuffs. Do not store together with oxidizing and self-igniting products. Do not store with: oxidizing substances.

#### Further information on storage conditions

Use only in well-ventilated areas. Keep containers tightly closed in a cool, well-ventilated place. Protect from heat and direct solar radiation

### 7.3. Specific end use(s)^

Waxes for the preparation of crowns and bridges, model castings and reconstructions

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
8002-74-2	Paraffin wax, fume	-	2		TWA (8 h)	WEL
		-	6		STEL (15 min)	WEL

**Safety Data Sheet** according to Regulation (EC) No 1907/2006

YETI Dentalprodukte GmbH

Revision date: 09.05.2016 Revision No: 1,1

## **Wax – Special Wax ( Dipping Wax, Wax Wire, Cutex- Undercut Wax, Diagnostic, Prefabricated Products, special applications )**

11294-0006

---

### **8.2. Exposure controls**



#### **Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over the use of personal protective equipment. Ensure adequate ventilation. Provide sufficient air exchange and/or exhaust in work rooms.

#### **Protective and hygiene measures**

Avoid contact with eyes and skin. Wash hands before breaks and immediately after handling the product . When using do not eat, drink or smoke. Take off immediately all contaminated clothing.

#### **Eye/face protection**

Tightly fitting goggles (EN 166). Eye wash bottle with pure water (EN 15154).

#### **Hand protection**

Protective gloves resistant to chemicals made off butyl, minimum coat thickness 0,7 mm, permeation resistance (wear duration) > 240 minutes, i.e. protective glove <Butoject 898> made by [www.kcl.de](http://www.kcl.de). This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

#### **Skin protection**

Long sleeved clothing (EN 368). Wear fire retardant protective coveralls. Take precautions against electrostatic discharges.

#### **Respiratory protection**

In case of vapour / mist formation use respirator. (Full mask, filter A).

#### **Environmental exposure controls**

Do not empty into drains Explosion risk.

---

## **SECTION 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

Physical state:	Solid matter
Colour:	according to product specification
Odour:	faint
pH-Value:	n.a.

**Safety Data Sheet** according to Regulation (EC) No 1907/2006

YETI Dentalprodukte GmbH

Revision date: 09.05.2016 Revision No: 1,1

## **Wax – Special Wax ( Dipping Wax, Wax Wire, Cutex- Undercut Wax, Diagnostic, Prefabricated Products, special applications )**

11294-0006

---

### **Changes in the physical state**

Melting point:	n.d.	
Initial boiling point and boiling range:	n.d.	
Softening point:	n.d.	
Drop point:	70 - 110 °C	DIN 2176
Flash point:	> 140 °C	ISO 1523
Flammability Solid:	n.d.	
Explosive properties	The product is not explosive.	
Lower explosion limits:	n.d.	
Upper explosion limits:	n.d.	
Ignition temperature:	n.d.	
Auto-ignition temperature Solid:	n.d.	
Oxidizing properties:	n.d.	
Vapour pressure:	(at 20 °C) n.d.	
Density (at 20 °C):	0,9 g/cm <sup>3</sup>	DIN 53217
Water solubility:	Partially miscible	
Solubility in other solvents	n.d.	
Viscosity / dynamic: (at 20 °C)	> 50 mPa·s	DIN 53019
Viscosity / kinematic:	n.d.	
Flow time:	n.d.	
Vapour density:	n.d.	
Solvent content:	0%	

### **9.2. Other information**

Other information

(n.a. = not applicable; n.d. = not determined)

---

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

No decomposition if stored and applied as directed. If heating up polymerisation.

### **10.2. Chemical stability**

Chemically stable.

### **10.3. Possibility of hazardous reactions**

Heating can release vapours which can be ignited.

### **10.4. Conditions to avoid**

Protect from heat and direct solar radiation.

### **10.5. Incompatible materials**

Oxidizing agents (strong)..

### **10.6. Hazardous decomposition products**

No known hazardous decomposition products.

---

## **SECTION 11: Toxicological information**

### **11.1. Information on toxicological effects**

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

Conclusion by analogy (QSAR):

LD50/oral/rat: > 2000 mg/kg

LD50/dermal/rabbit: > 2000 mg/kg

**Safety Data Sheet** according to Regulation (EC) No 1907/2006

YETI Dentalprodukte GmbH

Revision date: 09.05.2016 Revision No: 1,1

## **Wax – Special Wax ( Dipping Wax, Wax Wire, Cutex- Undercut Wax, Diagnostic, Prefabricated Products, special applications )**

11294-0006

---

### **Irritation and corrosivity**

Based on available data, the classification criteria are not met.

### **Sensitising effects**

Based on available data, the classification criteria are not met.

### **STOT-single exposure**

Based on available data, the classification criteria are not met.

### **Severe effects after repeated or prolonged exposure**

Based on available data, the classification criteria are not met.

### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

---

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

Not determined

### **12.2. Persistence and degradability**

Not determined

### **12.3. Bioaccumulative potential**

Not determined

### **12.4. Mobility in soil**

Not determined

### **12.5. Results of PBT and vPvB assessment**

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

### **12.6. Other adverse effects**

When low concentrations are discharged correctly into adapted biological sewage treatment plants, interference with the degradation activity of activated sludge is not likely. Elimination essentially by adsorption to activated sludge.

---

## **SECTION 13: Disposal considerations**

### **13.1. Waste treatment methods**

#### **Advice on disposal**

This material and its container must be disposed of as hazardous waste. If recycling is not practicable, dispose of in compliance with local regulations. The waste code number must be agreed with the disposer / manufacturer.

#### **Contaminated packaging**

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Contaminated packagings are to be treated like the product itself. Recommended cleaning agent: water with detergents.

---

**Safety Data Sheet** according to Regulation (EC) No 1907/2006

YETI Dentalprodukte GmbH

Revision date: 09.05.2016 Revision No: 1,1

## **Wax – Special Wax ( Dipping Wax, Wax Wire, Cutex- Undercut Wax, Diagnostic, Prefabricated Products, special applications )**

11294-0006

---

### **SECTION 14: Transport information**

**Land transport (ADR/RID); Marine transport (IMDG); Air transport (ICAO); Inland waterways transport (ADN)**

**14.1. UN number:**

Not applicable. No hazardous material as defined by the transport regulations.

**14.2. UN proper shipping name:**

Not applicable. No hazardous material as defined by the transport regulations.

**14.3. Transport hazard class(es):**

Not applicable. No hazardous material as defined by the transport regulations.

**14.4. Packing group:**

Not applicable. No hazardous material as defined by the transport regulations.

**14.5. Environmental hazards**

Not applicable. No hazardous material as defined by the transport regulations.

**14.6. Special precautions for user**

Not applicable. No hazardous material as defined by the transport regulations.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable. No hazardous material as defined by the transport regulations.

---

### **SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

2004/42/EC (VOC): 0 %

**Additional information**

The product is labeled in accordance with Regulation (EC) no. 1272/2008 (GHS).

**National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

---

### **SECTION 16: Other information**

**Abbreviations and acronyms**

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

**Safety Data Sheet** according to Regulation (EC) No 1907/2006

YETI Dentalprodukte GmbH

Revision date: 09.05.2016 Revision No: 1,1

**Wax – Special Wax ( Dipping Wax, Wax Wire, Cutex- Undercut Wax, Diagnostic, Prefabricated Products, special applications )**

11294-0006

---

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

**Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet )*